



INDICATIVE LAYOUT OF DRAINAGE NETWORK  
SCALE 1:2000

**DRAINAGE DESIGN SHOWN MUST BE VERIFIED BY THE CONTRACTOR AND IS FOR INFORMATION ONLY. THE CONTRACTOR MAY PROPOSE ALTERNATIVE DESIGNS TO MEET THE EMPLOYER'S REQUIREMENTS.**



TYPICAL FILTER DRAIN TO COLLECTOR PIPE  
CONNECTION AND MAN HOLE DETAIL  
SCALE 1:10



TYPICAL FILTER DRAIN DETAIL  
SCALE 1:10

- Notes**
1. ALL DIMENSIONS ARE IN MILLIMETRES, UNLESS NOTED OTHERWISE.
  2. ANY ELEMENTS OR OBJECTS THAT ARE NOT DIMENSIONED SHALL NOT BE SCALED UNDER ANY CIRCUMSTANCES. THEY SHALL BE AGREED/CONFIRMED WITH THE EMPLOYER.
  3. TENDER ISSUE DRAWINGS SHALL BE READ IN CONJUNCTION WITH THE TERMINAL T5 EMPLOYER'S REQUIREMENTS AND RELATED CONTRACT DOCUMENTS.
  4. THE CONTRACTOR MAY DEVIATE FROM THE PROPOSED SERVICE CORRIDORS PROVIDED THAT ALL CLASHES ARE AVOIDED WITH OTHER SERVICES. SHOULD THERE BE ANY DEVIATIONS FROM THE BUILDING PERMIT DESIGN, IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO REAPPLY FOR THE BUILDING PERMIT.
  5. SERVICE INSPECTION CHAMBERS SHALL BE LOCATED AWAY FROM ALL TERMINAL ROAD LANES WHERE POSSIBLE WITHIN THE PROPOSED SERVICE CORRIDORS.
  6. ALL DETAILS SHOWN ARE INDICATIVE ONLY. CONTRACTOR SHALL CARRY OUT HIS OWN DETAILED DESIGN TO DETERMINE THE EXACT DRAINAGE REQUIREMENTS TO COMPLY WITH THE EMPLOYER'S REQUIREMENTS.
  7. THE CONTRACTOR MUST RESPECT THE OUTFALL LOCATIONS AND INVERT LEVELS AS THIS IS GOVERNED BY THE WATER LAW PERMIT. THE MAIN COLLECTOR PIPES LEADING TO THE OUTFALL SHOULD NOT BE ALTERED AND ADOPTED BY THE CONTRACTOR. PLEASE SEE T5 BUILDING PERMIT DESIGN FOR DETAILS.
  8. CONTRACTOR SHALL TAKE INTO CONSIDERATION THE PROPOSED FILTER DRAIN CORRIDORS FOR DESIGN AND INSTALLATION OF THE DRAINAGE SYSTEM BY THE CONTRACTOR. THE CONTRACTOR CAN INCREASE THE OR REDUCE THE SPACING TO SUIT BUT IT IS PREFERRED FOR THE LINEAR DRAINS TO BE LOCATED IN THE CORRIDORS SHOWN.
  9. MANHOLES CONNECTING THE FILTER DRAINS TO THE COLLECTOR PIPES SHALL BE DESIGNED BY THE CONTRACTOR BUT WHERE POSSIBLE, THE T5 BUILDING PERMIT SHALL BE ADOPTED. PLEASE SEE T5 BUILDING PERMIT DRAWINGS FOR MORE DETAILS.

- LEGEND**
- RAINWATER AND SEWERAGE DRAINAGE CORRIDOR
  - CP STORM WATER COLLECTOR PIPES
  - FD FILTER DRAIN

**NOT FOR CONSTRUCTION**

**TENDER**

P4	08/10/23	TENDER ISSUE	AS	AT	OSJ
P3	21/11/23	TENDER ISSUE	AS	AT	OSJ
P2	31/10/23	TENDER ISSUE	AS	AT	OSJ
P1	28/09/23	TENDER ISSUE	AS	AT	OSJ
P0	11/08/23	TENDER DRAFT	AS	AT	OSJ
REV	Date	Description	Drawn	CHK	APP

Revision History

Client ISTRANA / Baltic Hub Container Terminal Sp. z o.o.

**Baltic Hub** ISTRANA/ Baltic Hub Container Terminal Sp. z o.o. ul. Kontenerowa 7, 80-601 Gdańsk

Project

**BALTIC HUB T5 OFFSHORE WIND TERMINAL PROJECT**

Drawing Title

**T5 RAINWATER AND SEWERAGE DRAINAGE ROUTES**

HaskoningDHV Polska Sp. z o.o. ul. Dzielna 60 01-029 Warszawa

**Royal HaskoningDHV**  
Enhancing Society Together

Drawn	DD	Checked	AT	Approved	CSJ
Date	17.07.23	Scale	1:100	REF.	
Drawing Number	PC1063-RHD-T5-OW-DR-EL-6002	Suitability	S4	Revision	P04

